

0513 Site Information Form (site log)  
International GPS Service  
See Instructions at:  
[ftp://igsb.jpl.nasa.gov/pub/station/general/sitelog\\_instr.txt](ftp://igsb.jpl.nasa.gov/pub/station/general/sitelog_instr.txt)

0. Form

Prepared by (full name) : Simons,Heinz  
Date Prepared : 2023-07-11  
Report Type : UPDATE  
If Update:  
Previous Site Log : 0513\_20230704.log  
Modified/Added Sections : 2

1. Site Identification of the GNSS Monument

Site Name : MAYEN  
Four Character ID : 0513  
Monument Inscription :  
IERS DOMES Number :  
CDP Number :  
Monument Description : ALUMINIUM HOLDER WITH ALUMINIUM PLATE  
Height of the Monument : 1.0 M  
Monument Foundation : MOUNTED AT THE EDGE OF A CHIMNEY  
Foundation Depth :  
Marker Description : CENTER OF ALUMINIUM PLATE (WINDING)  
Date Installed : 2002-04-01T10:00Z  
Geologic Characteristic : IGNEOUS  
Bedrock Type : IGNEOUS  
Bedrock Condition : JOINTED  
Fracture Spacing :  
Fault zones nearby :  
Distance/activity :  
Additional Information : CHIMNEY OWNER IS PRIVATE PROPERTY

2. Site Location Information

City or Town : MAYEN  
State or Province : RHINELAND-PALATINATE  
Country : GERMANY  
Tectonic Plate : EURASIAN  
Approximate Position (ITRF)  
X coordinate (m) :  
Y coordinate (m) :  
Z coordinate (m) :  
Latitude (N is +) :  
Longitude (E is +) :  
Elevation (m,ellips.) :  
Additional Information :

3. GNSS Receiver Information

- 3.1 Receiver Type : LEICA GRX1200GGPRO  
Satellite System : GPS+GLO  
Serial Number : 350171  
Firmware Version : 4.00  
Elevation Cutoff Setting : 0 DEG  
Date Installed : 2006-07-26T10:00Z  
Date Removed : 2007-08-13T08:00Z  
Temperature Stabiliz. : NONE  
Additional Information :
  
- 3.2 Receiver Type : LEICA GRX1200GGPRO  
Satellite System : GPS+GLO  
Serial Number : 350169  
Firmware Version : 5.10  
Elevation Cutoff Setting : 0 DEG  
Date Installed : 2007-08-14T09:37Z  
Date Removed : 2007-09-11T09:00Z  
Temperature Stabiliz. : NONE  
Additional Information :
  
- 3.3 Receiver Type : LEICA GRX1200GGPRO  
Satellite System : GPS+GLO  
Serial Number : 350169  
Firmware Version : 5.50  
Elevation Cutoff Setting : 0 DEG  
Date Installed : 2007-09-11T09:10Z  
Date Removed : 2009-02-05T15:35Z  
Temperature Stabiliz. : NONE  
Additional Information :
  
- 3.4 Receiver Type : LEICA GRX1200GGPRO  
Satellite System : GPS+GLO  
Serial Number : 350169  
Firmware Version : 6.02  
Elevation Cutoff Setting : 0 DEG  
Date Installed : 2009-02-05T15:45Z  
Date Removed : 2009-11-17T08:35Z  
Temperature Stabiliz. : NONE  
Additional Information :
  
- 3.5 Receiver Type : LEICA GRX1200GGPRO  
Satellite System : GPS+GLO  
Serial Number : 350169  
Firmware Version : 7.53  
Elevation Cutoff Setting : 0 DEG  
Date Installed : 2009-11-17T09:00Z  
Date Removed : 2010-06-15T08:06Z  
Temperature Stabiliz. : NONE  
Additional Information :
  
- 3.6 Receiver Type : LEICA GRX1200GGPRO  
Satellite System : GPS+GLO  
Serial Number : 350169

Firmware Version : 8.0  
Elevation Cutoff Setting : 0 DEG  
Date Installed : 2010-06-15T08:36Z  
Date Removed : 2012-03-09T12:42Z  
Temperature Stabiliz. : NONE  
Additional Information :

3.7 Receiver Type : LEICA GRX1200GGPRO  
Satellite System : GPS+GLO  
Serial Number : 350169  
Firmware Version : 8.51/3.019  
Elevation Cutoff Setting : 0 DEG  
Date Installed : 2012-03-09T13:02Z  
Date Removed : 2014-03-13T08:40Z  
Temperature Stabiliz. : NONE  
Additional Information :

3.8 Receiver Type : LEICA GR25  
Satellite System : GPS+GLO  
Serial Number : 1830349  
Firmware Version : 2.62/6.112  
Elevation Cutoff Setting : 0 DEG  
Date Installed : 2014-03-13T12:00Z  
Date Removed : 2016-09-26T12:15Z  
Temperature Stabiliz. : NONE  
Additional Information :

3.9 Receiver Type : LEICA GR25  
Satellite System : GPS+GLO  
Serial Number : 1830349  
Firmware Version : 4.00/6.522  
Elevation Cutoff Setting : 0 DEG  
Date Installed : 2016-09-26T12:35Z  
Date Removed : 2016-11-14T09:05Z  
Temperature Stabiliz. : NONE  
Additional Information :

3.10 Receiver Type : LEICA GR50  
Satellite System : GPS+GLO  
Serial Number : 1832028  
Firmware Version : 4.00/7.001  
Elevation Cutoff Setting : 0 DEG  
Date Installed : 2016-11-14T09:07Z  
Date Removed : 2016-12-08T07:00Z  
Temperature Stabiliz. : NONE  
Additional Information :

3.11 Receiver Type : LEICA GR50  
Satellite System : GPS+GLO  
Serial Number : 1832028  
Firmware Version : 4.02/7.002  
Elevation Cutoff Setting : 0 DEG  
Date Installed : 2016-12-08T07:04Z  
Date Removed : 2017-03-07T07:24Z

```

    Temperature Stabiliz. : NONE
    Additional Information :

3.12 Receiver Type      : LEICA GR50
    Satellite System     : GPS+GLO
    Serial Number        : 1830368
    Firmware Version     : 4.10/7.001
    Elevation Cutoff Setting : 0 DEG
    Date Installed       : 2017-03-07T07:32Z
    Date Removed         : 2017-05-17T13:11Z
    Temperature Stabiliz. : NONE
    Additional Information :

3.13 Receiver Type      : LEICA GR50
    Satellite System     : GPS+GLO
    Serial Number        : 1830368
    Firmware Version     : 4.11 / 7.102
    Elevation Cutoff Setting : 0 DEG
    Date Installed       : 2017-05-17T13:18Z
    Date Removed         : 2019-02-04T12:35Z
    Temperature Stabiliz. : NONE
    Additional Information :

3.14 Receiver Type      : LEICA GR50
    Satellite System     : GPS+GLO+GAL+BDS
    Serial Number        : 1830368
    Firmware Version     : 4.31 / 7.403
    Elevation Cutoff Setting : 0 DEG
    Date Installed       : 2019-02-04T12:55Z
    Date Removed         : 2022-10-04T06:15Z
    Temperature Stabiliz. : NONE
    Additional Information :

3.15 Receiver Type      : LEICA GR50
    Satellite System     : GPS+GLO+GAL+BDS
    Serial Number        : 1830368
    Firmware Version     : 4.60.259 / 7.811
    Elevation Cutoff Setting : 0 DEG
    Date Installed       : 2022-10-04T06:20Z
    Date Removed         :
    Temperature Stabiliz. : NONE
    Additional Information :

3.x Receiver Type      : (A20, from rcvr_ant.tab; see instructions)
    Satellite System     : (GPS+GLO+GAL+BDS+QZSS+SBAS)
    Serial Number        : (A20, but note the first A5 is used in SINEX)
    Firmware Version     : (A11)
    Elevation Cutoff Setting : (deg)
    Date Installed       : (CCYY-MM-DDThh:mmZ)
    Date Removed         : (CCYY-MM-DDThh:mmZ)
    Temperature Stabiliz. : (none or tolerance in degrees C)
    Additional Information : (multiple lines)

```

#### 4. GNSS Antenna Information

4.1 Antenna Type : LEIAT503 LEIC  
Serial Number : 730709  
Antenna Reference Point : TOP  
Marker->ARP Up Ecc. (m) : 0.1890  
Marker->ARP North Ecc(m) : 0.0000  
Marker->ARP East Ecc(m) : 0.0000  
Alignment from True N : 0  
Antenna Radome Type : LEIC  
Radome Serial Number :  
Antenna Cable Type : UNKNOWN  
Antenna Cable Length : 50  
Date Installed : 2006-07-26T10:00Z  
Date Removed : 2009-05-19T07:06Z  
Additional Information : ANTENNA ABSOLUTE CALIBRATED (ROBOT) BY GEO++  
GMBH GARBSEN GPS-Week 1140

4.2 Antenna Type : LEIAT504GG NONE  
Serial Number : 200769  
Antenna Reference Point : BPA  
Marker->ARP Up Ecc. (m) : 0.1920  
Marker->ARP North Ecc(m) : 0.0000  
Marker->ARP East Ecc(m) : 0.0000  
Alignment from True N : 0  
Antenna Radome Type : NONE  
Radome Serial Number :  
Antenna Cable Type : UNKNOWN  
Antenna Cable Length : 50  
Date Installed : 2009-05-19T10:00Z  
Date Removed : 2014-03-13T08:40Z  
Additional Information : ANTENNA ABSOLUTE CALIBRATED (ROBOT) BY GEO++  
GMBH GARBSEN (LEIAT504GG+DFB\_\_NONE) GPS-Week 1504

4.3 Antenna Type : LEIAR25.R4 LEIT  
Serial Number : 725512  
Antenna Reference Point : BPA  
Marker->ARP Up Ecc. (m) : 0.0793  
Marker->ARP North Ecc(m) : 0.0000  
Marker->ARP East Ecc(m) : 0.0000  
Alignment from True N : 0  
Antenna Radome Type : LEIT  
Radome Serial Number :  
Antenna Cable Type : UNKNOWN  
Antenna Cable Length : 50  
Date Installed : 2014-03-13T12:00Z  
Date Removed :  
Additional Information : ANTENNA ABSOLUTE CALIBRATED BY  
ANTENNENMESSKAMMER BONN (LEIAR25.R4\_\_\_\_\_LEIT) GPS WEEK 1731

4.x Antenna Type : (A20, from rcvr\_ant.tab; see instructions)  
Serial Number : (A\*, but note the first A5 is used in SINEX)  
Antenna Reference Point : (BPA/BCR/XXX from "antenna.gra"; see instr.)  
Marker->ARP Up Ecc. (m) : (F8.4)

Marker->ARP North Ecc(m) : (F8.4)  
Marker->ARP East Ecc(m) : (F8.4)  
Alignment from True N : (deg; + is clockwise/east)  
Antenna Radome Type : (A4 from rcvr\_ant.tab; see instructions)  
Radome Serial Number :  
Antenna Cable Type : (vendor & type number)  
Antenna Cable Length : (m)  
Date Installed : (CCYY-MM-DDThh:mmZ)  
Date Removed : (CCYY-MM-DDThh:mmZ)  
Additional Information : (multiple lines)

## 5. Surveyed Local Ties

5.x Tied Marker Name :  
Tied Marker Usage : (SLR/VLBI/LOCAL CONTROL/FOOTPRINT/etc)  
Tied Marker CDP Number : (A4)  
Tied Marker DOMES Number : (A9)  
Differential Components from GNSS Marker to the tied monument (ITRS)  
dx (m) : (m)  
dy (m) : (m)  
dz (m) : (m)  
Accuracy (mm) : (mm)  
Survey method : (GPS CAMPAIGN/TRILATERATION/TRIANGULATION/etc)  
Date Measured : (CCYY-MM-DDThh:mmZ)  
Additional Information : (multiple lines)

## 6. Frequency Standard

6.1 Standard Type : INTERNAL  
Input Frequency :  
Effective Dates : 2006-07-26T10:00Z  
Notes : NONE  
6.x Standard Type : (INTERNAL or EXTERNAL H-MASER/CESIUM/etc)  
Input Frequency : (if external)  
Effective Dates : (CCYY-MM-DD/CCYY-MM-DD)  
Notes : (multiple lines)

## 7. Collocation Information

7.x Instrumentation Type : (GPS/GLONASS/DORIS/PRARE/SLR/VLBI/TIME/etc)  
Status : (PERMANENT/MOBILE)  
Effective Dates : (CCYY-MM-DD/CCYY-MM-DD)  
Notes : (multiple lines)

## 8. Meteorological Instrumentation

8.1.x Humidity Sensor Model :  
Manufacturer :  
Serial Number :

Data Sampling Interval : (sec)  
Accuracy (% rel h) : (% rel h)  
Aspiration : (UNASPIRATED/NATURAL/FAN/etc)  
Height Diff to Ant : (m)  
Calibration date : (CCYY-MM-DD)  
Effective Dates : (CCYY-MM-DD/CCYY-MM-DD)  
Notes : (multiple lines)

8.2.x Pressure Sensor Model :  
Manufacturer :  
Serial Number :  
Data Sampling Interval : (sec)  
Accuracy : (hPa)  
Height Diff to Ant : (m)  
Calibration date : (CCYY-MM-DD)  
Effective Dates : (CCYY-MM-DD/CCYY-MM-DD)  
Notes : (multiple lines)

8.3.x Temp. Sensor Model :  
Manufacturer :  
Serial Number :  
Data Sampling Interval : (sec)  
Accuracy : (deg C)  
Aspiration : (UNASPIRATED/NATURAL/FAN/etc)  
Height Diff to Ant : (m)  
Calibration date : (CCYY-MM-DD)  
Effective Dates : (CCYY-MM-DD/CCYY-MM-DD)  
Notes : (multiple lines)

8.4.x Water Vapor Radiometer :  
Manufacturer :  
Serial Number :  
Distance to Antenna : (m)  
Height Diff to Ant : (m)  
Calibration date : (CCYY-MM-DD)  
Effective Dates : (CCYY-MM-DD/CCYY-MM-DD)  
Notes : (multiple lines)

8.5.x Other Instrumentation : (multiple lines)

## 9. Local Ongoing Conditions Possibly Affecting Computed Position

9.1.1 Radio Interferences : UNKNOWN  
Observed Degradations :  
Effective Dates :  
Additional Information :

9.1.x Radio Interferences : (TV/CELL PHONE ANTENNA/RADAR/etc)  
Observed Degradations : (SN RATIO/DATA GAPS/etc)  
Effective Dates : (CCYY-MM-DD/CCYY-MM-DD)  
Additional Information : (multiple lines)

9.2.1 Multipath Sources : UNKNOWN

Effective Dates :  
Additional Information :

9.2.x Multipath Sources : (METAL ROOF/DOME/VLBI ANTENNA/etc)  
Effective Dates : (CCYY-MM-DD/CCYY-MM-DD)  
Additional Information : (multiple lines)

9.3.1 Signal Obstructions : UNKNOWN  
Effective Dates :  
Additional Information :

9.3.x Signal Obstructions : (TREES/BUILDINGS/etc)  
Effective Dates : (CCYY-MM-DD/CCYY-MM-DD)  
Additional Information : (multiple lines)

## 10. Local Episodic Effects Possibly Affecting Data Quality

10.x Date : (CCYY-MM-DD/CCYY-MM-DD)  
Event : (TREE CLEARING/CONSTRUCTION/etc)

## 11. On-Site, Point of Contact Agency Information

Agency : LANDESAMT FUER VERMESSUNG UND  
GEOBASISINFORMATION RHEINLAND-PFALZ  
Preferred Abbreviation : LVERMGEOEP  
Mailing Address : VON-KUHL-STRASSE 49  
: 56070 KOBLENZ

Primary Contact  
Contact Name : SAPOS-Team Rhl.-Pf.  
Telephone (primary) : 0049261492123  
Telephone (secondary) :  
Fax : 0049261492492  
E-mail : sapos@vermkv.rlp.de

Secondary Contact  
Contact Name : SAPOS-Team Rhl.-Pf.  
Telephone (primary) : 0049261492123  
Telephone (secondary) :  
Fax :  
E-mail : volker.schneider@vermkv.rlp.de  
Additional Information :

## 12. Responsible Agency (if different from 11.)

Agency :  
Preferred Abbreviation :  
Mailing Address :  
Primary Contact  
Contact Name :  
Telephone (primary) :  
Telephone (secondary) :  
Fax :



E-mail :  
Secondary Contact :  
Contact Name :  
Telephone (primary) :  
Telephone (secondary) :  
Fax :  
E-mail :  
Additional Information :

### 13. More Information

Primary Data Center : LVERMGEORP  
Secondary Data Center : LGN  
URL for More Information : <http://www.lvermgeo.rlp.de>  
Hardcopy on File  
Site Map : Y  
Site Diagram : N  
Horizon Mask : N  
Monument Description : Y  
Site Pictures : Y  
Additional Information :  
Antenna Graphics with Dimensions