

0535 Site Information Form (site log)
International GPS Service
See Instructions at:
ftp://igsb.jpl.nasa.gov/pub/station/general/sitelog_instr.txt

0. Form

Prepared by (full name) : Simons,Heinz
Date Prepared : 2023-07-11
Report Type : UPDATE
If Update:
Previous Site Log : 0535_20230704.log
Modified/Added Sections : 2

1. Site Identification of the GNSS Monument

Site Name : WISSEN2
Four Character ID : 0535
Monument Inscription :
IERS DOMES Number :
CDP Number :
Monument Description : CONCRETE PILLAR WITH CENTERED ALUMINIUM PLATE
Height of the Monument : 2.50
Monument Foundation : CONCRETE BLOCK
Foundation Depth : 1.50
Marker Description : CENTER OF ALUMINIUM PLATE (WINDING)
Date Installed : 2015-08-12T14:00Z
Geologic Characteristic : DEVON, LOWER DEVON
Bedrock Type : CLAY AND SANDSTONE
Bedrock Condition :
Fracture Spacing :
Fault zones nearby :
Distance/activity :
Additional Information : OWNER OF THE AREA IS MUNICIPAL UTILITY

2. Site Location Information

City or Town : WISSEN
State or Province : RHINELAND-PALATINATE
Country : GERMANY
Tectonic Plate : EURASIAN
Approximate Position (ITRF)
X coordinate (m) : 4004986.4433
Y coordinate (m) : 544166.8453
Z coordinate (m) : 4917882.0072
Latitude (N is +) : +504624.24
Longitude (E is +) : +0074415.10
Elevation (m,ellips.) : 310.143
Additional Information : ETRS89/DREF91/REALIZATION2016 (since 2016-12-01)

3. GNSS Receiver Information

3.1 Receiver Type : LEICA GR25
Satellite System : GPS+GLO
Serial Number : 1830367
Firmware Version : 2.62/6.112
Elevation Cutoff Setting : 0 DEG
Date Installed : 2015-08-12T14:00Z
Date Removed : 2016-09-26T12:44Z
Temperature Stabiliz. : NONE
Additional Information :

3.2 Receiver Type : LEICA GR25
Satellite System : GPS+GLO
Serial Number : 1830367
Firmware Version : 4.00/6.522
Elevation Cutoff Setting : 0 DEG
Date Installed : 2016-09-26T13:05Z
Date Removed : 2016-12-08T06:21Z
Temperature Stabiliz. : NONE
Additional Information :

3.3 Receiver Type : LEICA GR25
Satellite System : GPS+GLO
Serial Number : 1830367
Firmware Version : 4.02/6.522
Elevation Cutoff Setting : 0 DEG
Date Installed : 2016-12-08T06:26Z
Date Removed : 2017-01-25T12:46Z
Temperature Stabiliz. : NONE
Additional Information :

3.4 Receiver Type : LEICA GR50
Satellite System : GPS+GLO
Serial Number : 1830380
Firmware Version : 4.02/7.001
Elevation Cutoff Setting : 0 DEG
Date Installed : 2017-01-25T12:52Z
Date Removed : 2017-05-17T13:07Z
Temperature Stabiliz. : NONE
Additional Information :

3.5 Receiver Type : LEICA GR50
Satellite System : GPS+GLO
Serial Number : 1830380
Firmware Version : 4.11 / 7.102
Elevation Cutoff Setting : 0 DEG
Date Installed : 2017-05-17T13:11Z
Date Removed : 2019-02-04T12:55Z
Temperature Stabiliz. : NONE
Additional Information :

3.6 Receiver Type : LEICA GR50
Satellite System : GPS+GLO+GAL+BDS
Serial Number : 1830380

Firmware Version : 4.31 / 7.403
Elevation Cutoff Setting : 0 DEG
Date Installed : 2019-02-04T13:10Z
Date Removed : 2022-10-04T06:35Z
Temperature Stabiliz. : NONE
Additional Information :

3.7 Receiver Type : LEICA GR50
Satellite System : GPS+GLO+GAL+BDS
Serial Number : 1830380
Firmware Version : 4.60.259 / 7.811
Elevation Cutoff Setting : 0 DEG
Date Installed : 2022-10-04T06:40Z
Date Removed :
Temperature Stabiliz. : NONE
Additional Information :

3.x Receiver Type : (A20, from rcvr_ant.tab; see instructions)
Satellite System : (GPS+GLO+GAL+BDS+QZSS+SBAS)
Serial Number : (A20, but note the first A5 is used in SINEX)
Firmware Version : (A11)
Elevation Cutoff Setting : (deg)
Date Installed : (CCYY-MM-DDThh:mmZ)
Date Removed : (CCYY-MM-DDThh:mmZ)
Temperature Stabiliz. : (none or tolerance in degrees C)
Additional Information : (multiple lines)

4. GNSS Antenna Information

4.1 Antenna Type : LEIAR25.R4 LEIT
Serial Number : 725525
Antenna Reference Point : BPA
Marker->ARP Up Ecc. (m) : 0.0774
Marker->ARP North Ecc(m) : 0.0000
Marker->ARP East Ecc(m) : 0.0000
Alignment from True N : 0
Antenna Radome Type : LEIT
Radome Serial Number :
Antenna Cable Type : UNKNOWN
Antenna Cable Length : 20
Date Installed : 2015-08-12T14:00Z
Date Removed : 2019-10-09T09:30Z
Additional Information : ANTENNA ABSOLUTE CALIBRATED BY
ANTENNENMESSKAMMER BONN (LEIAR25R4__LEIT) GPS-WEEK 1730

4.2 Antenna Type : LEIAR25.R4 LEIT
Serial Number : 727144
Antenna Reference Point : BPA
Marker->ARP Up Ecc. (m) : 0.0774
Marker->ARP North Ecc(m) : 0.0000
Marker->ARP East Ecc(m) : 0.0000
Alignment from True N : 0
Antenna Radome Type : LEIT

Radome Serial Number :
Antenna Cable Type : UNKNOWN
Antenna Cable Length : 20
Date Installed : 2019-10-09T09:30Z
Date Removed :
Additional Information : ANTENNA ABSOLUTE CALIBRATED BY
ANTENNENMESSKAMMER BONN (LEIAR25R4__LEIT) GPS-WEEK 2071

4.x Antenna Type : (A20, from rcvr_ant.tab; see instructions)
Serial Number : (A*, but note the first A5 is used in SINEX)
Antenna Reference Point : (BPA/BCR/XXX from "antenna.gra"; see instr.)
Marker->ARP Up Ecc. (m) : (F8.4)
Marker->ARP North Ecc(m) : (F8.4)
Marker->ARP East Ecc(m) : (F8.4)
Alignment from True N : (deg; + is clockwise/east)
Antenna Radome Type : (A4 from rcvr_ant.tab; see instructions)
Radome Serial Number :
Antenna Cable Type : (vendor & type number)
Antenna Cable Length : (m)
Date Installed : (CCYY-MM-DDThh:mmZ)
Date Removed : (CCYY-MM-DDThh:mmZ)
Additional Information : (multiple lines)

5. Surveyed Local Ties

5.x Tied Marker Name :
Tied Marker Usage : (SLR/VLBI/LOCAL CONTROL/FOOTPRINT/etc)
Tied Marker CDP Number : (A4)
Tied Marker DOMES Number : (A9)
Differential Components from GNSS Marker to the tied monument (ITRS)
dx (m) : (m)
dy (m) : (m)
dz (m) : (m)
Accuracy (mm) : (mm)
Survey method : (GPS CAMPAIGN/TRILATERATION/TRIANGULATION/etc)
Date Measured : (CCYY-MM-DDThh:mmZ)
Additional Information : (multiple lines)

6. Frequency Standard

6.1 Standard Type : INTERNAL
Input Frequency :
Effective Dates :
Notes : NONE

6.x Standard Type : (INTERNAL or EXTERNAL H-MASER/CESIUM/etc)
Input Frequency : (if external)
Effective Dates : (CCYY-MM-DD/CCYY-MM-DD)
Notes : (multiple lines)

7. Collocation Information

7.x Instrumentation Type : (GPS/GLONASS/DORIS/PRARE/SLR/VLBI/TIME/etc)
Status : (PERMANENT/MOBILE)
Effective Dates : (CCYY-MM-DD/CCYY-MM-DD)
Notes : (multiple lines)

8. Meteorological Instrumentation

8.1.x Humidity Sensor Model :
Manufacturer :
Serial Number :
Data Sampling Interval : (sec)
Accuracy (% rel h) : (% rel h)
Aspiration : (UNASPIRATED/NATURAL/FAN/etc)
Height Diff to Ant : (m)
Calibration date : (CCYY-MM-DD)
Effective Dates : (CCYY-MM-DD/CCYY-MM-DD)
Notes : (multiple lines)

8.2.x Pressure Sensor Model :
Manufacturer :
Serial Number :
Data Sampling Interval : (sec)
Accuracy : (hPa)
Height Diff to Ant : (m)
Calibration date : (CCYY-MM-DD)
Effective Dates : (CCYY-MM-DD/CCYY-MM-DD)
Notes : (multiple lines)

8.3.x Temp. Sensor Model :
Manufacturer :
Serial Number :
Data Sampling Interval : (sec)
Accuracy : (deg C)
Aspiration : (UNASPIRATED/NATURAL/FAN/etc)
Height Diff to Ant : (m)
Calibration date : (CCYY-MM-DD)
Effective Dates : (CCYY-MM-DD/CCYY-MM-DD)
Notes : (multiple lines)

8.4.x Water Vapor Radiometer :
Manufacturer :
Serial Number :
Distance to Antenna : (m)
Height Diff to Ant : (m)
Calibration date : (CCYY-MM-DD)
Effective Dates : (CCYY-MM-DD/CCYY-MM-DD)
Notes : (multiple lines)

8.5.x Other Instrumentation : (multiple lines)

9. Local Ongoing Conditions Possibly Affecting Computed Position

- 9.1.1 Radio Interferences : UNKNOWN
 - Observed Degradations :
 - Effective Dates :
 - Additional Information :
- 9.1.x Radio Interferences : (TV/CELL PHONE ANTENNA/RADAR/etc)
 - Observed Degradations : (SN RATIO/DATA GAPS/etc)
 - Effective Dates : (CCYY-MM-DD/CCYY-MM-DD)
 - Additional Information : (multiple lines)
- 9.2.1 Multipath Sources : UNKNOWN
 - Effective Dates :
 - Additional Information :
- 9.2.x Multipath Sources : (METAL ROOF/DOME/VLBI ANTENNA/etc)
 - Effective Dates : (CCYY-MM-DD/CCYY-MM-DD)
 - Additional Information : (multiple lines)
- 9.3.1 Signal Obstructions : UNKNOWN
 - Effective Dates :
 - Additional Information :
- 9.3.x Signal Obstructions : (TREES/BUILDINGS/etc)
 - Effective Dates : (CCYY-MM-DD/CCYY-MM-DD)
 - Additional Information : (multiple lines)

10. Local Episodic Effects Possibly Affecting Data Quality

- 10.x Date : (CCYY-MM-DD/CCYY-MM-DD)
- Event : (TREE CLEARING/CONSTRUCTION/etc)

11. On-Site, Point of Contact Agency Information

- Agency : LANDESAMT FUER VERMESSUNG UND
GEOBASISINFORMATION RHEINLAND-PFALZ
- Preferred Abbreviation : LVERMGEORP
- Mailing Address : VON-KUHL-STRASSE 49
: 56070 KOBLENZ
- Primary Contact
 - Contact Name : SAPOS-Team Rh1.Pf.
 - Telephone (primary) : 0049261492123
 - Telephone (secondary) :
 - Fax : 0049261492492
 - E-mail : sapos@vermkv.rlp.de
- Secondary Contact
 - Contact Name : SAPOS-Team Rh1.Pf.
 - Telephone (primary) : 0049261492123
 - Telephone (secondary) :
 - Fax :
 - E-mail : volker.schneider@vermkv.rlp.de
- Additional Information :

12. Responsible Agency (if different from 11.)

Agency :
Preferred Abbreviation :
Mailing Address :
Primary Contact
 Contact Name :
 Telephone (primary) :
 Telephone (secondary) :
 Fax :
 E-mail :
Secondary Contact
 Contact Name :
 Telephone (primary) :
 Telephone (secondary) :
 Fax :
 E-mail :
Additional Information :

13. More Information

Primary Data Center : <http://www.lvermgeo.rlp.de>
Secondary Data Center : LGN
URL for More Information : <http://www.lvermgeo.rlp.de>
Hardcopy on File
 Site Map : Y
 Site Diagram : N
 Horizon Mask : N
 Monument Description : Y
 Site Pictures : Y
Additional Information :
Antenna Graphics with Dimensions